

FIG. 1




FIG. 2

| BROADCAST DATE | CHANNEL CODE | BROADCAST START TIME | BROADCAST END TIME | PROGRAM MANAGEMENT CODE | PROGRAM TITLE | ADDITIONAL DATA MANAGEMENT CODE | ADDITIONAL DATA TITLE |
|----------------|--------------|----------------------|--------------------|-------------------------|---------------|---------------------------------|-----------------------|
| 2000/ 5/1 | 10 | 6 : 00 : 00 | 6 : 00 : 30 | C1001 | CM A | CA1001 | CMA A |
| | | 6 : 00 : 30 | 6 : 01 : 00 | C1002 | CM B | CA1002 | CMA B |
| | | 6 : 01 : 00 | 6 : 02 : 00 | C1007 | CM G | CA1007 | CMA G |
| | | 6 : 02 : 00 | 6 : 13 : 00 | M1001-1 | MP A-1 | MA1001 | MPA A |
| | | 6 : 13 : 00 | 6 : 13 : 30 | C1001 | CM A | CA1001 | CMA A |
| | | 6 : 13 : 30 | 6 : 14 : 00 | C1002 | CM B | CA1002 | CMA B |
| | | 6 : 14 : 00 | 6 : 15 : 00 | C1008 | CM H | CA1008 | CMA H |
| | | 6 : 15 : 00 | 6 : 28 : 00 | M1001-2 | MP A-2 | MA1001 | MPA A |
| | | 6 : 28 : 00 | 6 : 28 : 30 | C1001 | CM A | CA1001 | CMA A |
| | | 6 : 28 : 30 | 6 : 29 : 00 | C1002 | CM B | CA1002 | CMA B |
| | | 6 : 29 : 00 | 6 : 30 : 00 | C1006 | CM F | CA1006 | CMA F |
| | | . | . | . | . | . | . |
| | | . | . | . | . | . | . |
| | | . | . | . | . | . | . |
| | 11 | 6 : 00 : 00 | 6 : 00 : 15 | C1003 | CM C | CA1003 | CMA C |
| | | . | . | . | . | . | . |
| | | . | . | . | . | . | . |
| | | . | . | . | . | . | . |




FIG. 3




FIG. 4




FIG. 5

501 { 502 {
 <repeat transmission id= "repeat transmission data 1" start_time= "6:12:40" duration= "0:00:20"
 <module id= "module 1" >
 <private_data= "10th ANNIVERSARY SALE ON MAY 6 PRESENTS FOR FIRST 1000 CUSTOMERS" >
 </module>
 </repeat transmission>
 }

```
<manual generating>
<event_msg id= "event message 1"
  handler=proc1(module 1);/>
<event_msg id= "event message 2"
  handler=proc2(module 1);/>
<event_msg id= "event message 3"
  handler=proc1(module 2);/>
</manual generating>
```

FIG. 6

601 {
 602 {<repeat transmission id= "repeat transmission data 1" start_time= "6:12:40" duration= "0:00:20"
 <module id= "module 1" >
 <private_data= "10th ANNIVERSARY SALE ON MAY 6 PRESENTS FOR FIRST 1000 CUSTOMERS" >
 </module>
 </module id= "module 2" >
 603 {<private_data= "NEW SONG RELEASE MAY 21" >
 </module>
 </repeat transmission>
 }

.
 .
 .
 <manual generating>
 604 {<event_msg id= "event message 2"
 handler=proc2(module 1);>
 <event_msg id= "event message 3"
 handler=proc1(module 2);>
 605 {<event_msg id= "event message 4"
 handler=proc2(module 2);>
 606 {</manual generating>
 .
 .
 .

FIG. 7




FIG. 8




FIG. 9

